

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 October 2002 (17.10.2002)

PCT

(10) International Publication Number
WO 02/081793 A1

- (51) International Patent Classification⁷: **D01F 4/02, A61L 27/22**
- (21) International Application Number: **PCT/GB02/01188**
- (22) International Filing Date: **27 March 2002 (27.03.2002)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
0108181.9 **2 April 2001 (02.04.2001)** **GB**
- (71) Applicant (*for all designated States except US*): **XIROS PLC** [GB/GB]; 28-30 Blenheim Terrace, Leeds LS2 9HD (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): **CRIGHTON, John, Stephen** [GB/GB]; Xiros plc, 28-30 Blenheim Terrace, Leeds LS2 9HD (GB).
- (74) Agent: **ATKINSON, Jonathan, David, Mark**; Urquhart-Dykes & Lord, Tower House, Merriion Way, Leeds LS2 8PA (GB).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *with international search report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 02/081793 A1

(54) Title: **SILK-BASED FIBRE**

(57) **Abstract:** The invention relates to a novel process for preparing a solution of silk or silk-like protein from a variety of potential sources, and spinning it to produce a reformed silk fibre for biomedical and other uses. The silk is pre-dissolved to form an amorphous powder, then re-dissolved in a mixture of dichloroacetic acid with either chloroform or dichloromethane, to form a homogenous silk fibroin solution for spinning. By controlling spinning and drawing conditions, and by appropriate chemical modification, fibres with a variety of mechanical and biological properties can be formed. Such fibres can have an extended or shortened biostability in the human body, and are suitable for implantable devices such as absorbable artificial ligaments and engineering matrices, drug delivery implants, and many other uses.